

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	477	brute\$2force near attack	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:51
L2	1362	cryptanaly\$6	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:52
L3	247	L1 and L2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:52
L4	234	L3 and power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:52
L5	3	L3 and (power adj anal\$6)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:53
L6	3062	L3 and (power adj anal\$6) (triple\$2DES or "3"\$2DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:55
L7	0	L3 and (power adj anal\$6) AND (triple\$2DES or "3"\$2DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:55
L8	3059	(triple\$2DES or "3"\$2DES)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:55

L9	221	(triple\$2DES or "3"\$2DES) AND L4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:55
L10	67	(triple\$2DES or "3"\$2DES) AND L4 and (@ad<"20030108")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 14:56
L15	58	(multiple with (triple\$2DES or "3DES"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:53
L16	2	(multiple near2(triple\$2DES or "3"\$2DES) and (@ad<"20030108"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 15:53
L17	14121	(multiple with (triple\$2DES or "3DES" or DES))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:26
L18	2	(multiple with ((triple\$2DES or "3DES") with DES) with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:27
L19	2	(multiple with ((triple\$2DES or "3DES") same DES) same sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:28
L20	14113	(multiple with (triple\$2DES or "3DES" DES)) and DES	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:28
L21	50	(multiple with (triple\$2DES or "3DES")) and DES	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:28

L22	13785	(380/28-30 OR 380/37 380/45-46 380/281 OR 380/277 OR 380/259 OR 713/193 OR 713/189-191 713/300 OR 713/330 OR 726/26).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:34
L23	208787	(multiple with (triple\$2DES or "3DES" DES)) ann L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:34
L24	140	(multiple with (triple\$2DES or "3DES" DES)) and L22	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 16:35
L25	57	(multiple near2 (triple\$2DES or "3DES" DES)) with (chain sequence seri\$2 concatenate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:55
L26	1204	(multiple with(triple\$2DES or "3DES" DES)) with (chain sequence seri\$2 concatenate)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:58
L27	1204	(multiple with (triple\$2DES or "3DES" DES)) with (chain sequence seri\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:58
L28	225	(multiple with (triple\$2DES or "3DES" DES)) with (chain sequence seri\$2) and (@ad< "20030108")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:59
L29	0	(multiple with (triple\$2DES or "3DES" DES)) with (chain sequence seri\$2) and (@ad< "20030108") with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:59
L30	21	(multiple with (triple\$2DES or "3DES" DES)) with (chain sequence seri\$2) and (@ad< "20030108") and encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 17:59

L32	225	multiple with (triple\$1DES or "3DES" "DES" "TDEA" (triple adj data adj encryption)) with (chain sequence seri\$2) and (@ad<"20030108")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 19:04
L33	13785	(380/28-30 OR 380/37 380/45-46 380/281 OR 380/277 OR 380/259 OR 713/193 OR 713/189-191 713/300 OR 713/330 OR 726/26).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 20:52
L34	451	L8 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 20:52
L35	225	multiple with (triple\$1DES or "3DES" "DES" "TDEA" (triple adj data adj encryption)) with (chain sequence seri\$2) and (@ad<"20030108") and L32	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 20:53
L36	0	multiple with (triple\$1DES or "3DES" "DES" "TDEA" (triple adj data adj encryption)) with (chain sequence seri\$2) and (@ad<"20030108") and L32 and "L333"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 20:54
L37	6	multiple with (triple\$1DES or "3DES" "DES" "TDEA" (triple adj data adj encryption)) with (chain sequence seri\$2) and (@ad<"20030108") and L32 and L33	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 20:54
L38	225	multiple with (triple\$1DES or "3DES" "DES" "TDEA" (triple adj data adj encryption)) with (chain sequence seri\$2) and (@ad<"20030108")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 21:01
L39	5	multiple with (triple\$1DES or "3DES" "DES" "TDEA" (triple adj data adj encryption)) with (chain sequence seri\$2) and (@ad<"20030108") and "380".clas.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/02/29 21:01
S1	0	(10/749412).CCLS.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	OFF	2007/07/22 06:05

S2	0	(10/749412).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/22 06:05
S3	0	(10/749412).CCLS.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/07/22 06:05
S4	1	10/749412	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:22
S5	1335	380/28.ccls.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:23
S6	0	ochi-ryp-\$in.	US-PGPUB; USPAT; USOCR; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:23
S7	0	ochi-ryo-\$in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:24
S8	11522	ochi-\$in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:24
S9	28	ochi-\$in. AND ryo	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:27
S10	1	kusakabe-susumu-\$in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:27
S11	3420	kusakabe-\$in.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 06:27

S12	300	kusakabe-\$,in. AND susumu	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:10
S13	161	encryption SAME (power near analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 07:18
S14	2	"6970561".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 07:22
S15	2	"6658569".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 07:25
S16	2	"7050581".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/22 07:25
S21	105	encryption WITH (power near2 analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:25
S22	8	S21 and 713/189.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:18
S23	170	encryption SAME (power near2 analysis)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:26
S25	2061	(380/28-29 OR 380/37).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:29

S26	3876	(380/28-29 OR 380/37 OR 713/193).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:30
S27	12400	(380/28-30 OR 380/37 380/45-46 380/281 OR 380/277 OR 380/259 OR 713/193 OR 713/189-191 713/300 OR 713/330 OR 726/26).cds.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:45
S28	376	original near encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/26 10:46
S30	11	divid\$4 with encryption NEAR3 sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 06:26
S40	1	10/749412 AND "dummy encryption process"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:33
S41	61	divid\$4 with encryption with group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 09:49
S43	27	mix\$4 with encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:23
S44	1	S41 and S43	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 09:45
S45	35	encryption near process\$4 near sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:31

S46	2	(encryption near process\$4 near sequence) SAME power	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 09:50
S47	0	"09749142"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:31
S48	0	"09/749142"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:31
S49	48	S near box with (round adj function)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 10:58
S50	1	10/749412 AND (plurality NEAR2 group)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 12:36
S51	1	10/749412 AND (plurality NEAR2 "encryption")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:04
S52	2	"6327661".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:28
S53	151	mix\$4 NEAR2 encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:33
S54	3	mix\$4 NEAR2 encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:29

S55	12400	(380/28-30 OR 380/37 380/45-46 380/281 OR 380/277 OR 380/259 OR 713/193 OR 713/189-191 713/300 OR 713/330 OR 726/26).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 13:33
S56	41	S53 AND S55	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:00
S57	36	mix\$4 ADJ encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:03
S58	21	mix\$4 ADJ encryption and sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:04
S59	1	mix\$4 ADJ encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:05
S60	388	(mix\$4 combin\$4 merg\$4) ADJ encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:08
S61	11	(mix\$4 combin\$4 merg\$4) ADJ encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:08
S63	276	S60 AND @ay<="2003"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:09
S64	387	S60 AND @ay<="20030108"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:09

S65	226	S60 AND @ad<="20030108"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:10
S66	0	S60 AND @ad<="20030108" with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:10
S67	0	S60 AND @ad<="20030108" SAME sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:10
S68	145	S60 AND @ad<="20030108" AND sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:10
S69	229	encryption WITH ("power analysis" "PA" "SPA" "simple power analysis" "DPA" "differential power analysis")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:55
S70	229	encryption WITH ("power analysis" "PA" "SPA" "simple power analysis" "DPA" "differential power analysis")	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 15:55
S71	0	("2007/0140478").URFN.	USPAT	OR	ON	2007/07/30 15:56
S72	0	("2007/0139194").URFN.	USPAT	OR	ON	2007/07/30 15:56
S73	0	("2006/0056622").URFN.	USPAT	OR	ON	2007/07/30 16:03
S74	0	("2004/0096059").URFN.	USPAT	OR	ON	2007/07/30 16:23
S75	381	(mix\$4 stir\$4 combin\$4) ADJ encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:24

S76	12	(mix\$4 stir\$4 combin\$4) ADJ encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/07/30 16:24
S77	2	"7146499".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:13
S78	1	"7146499".pn. AND ("fake" OR "dummy") WITH data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:17
S79	939	cipher NEAR algorithm	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:29
S81	989	(380/27 280/28 380/29)..ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:21
S83	365	(cipher NEAR algorithm) with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:25
S84	9	(cipher NEAR algorithm) with encryption with round	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 08:18
S86	26	(cipher NEAR algorithm) WITH round	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:30
S88	9	(cipher NEAR algorithm) WITH round with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/02 15:31

S90	2797	block NEAR cipher	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 08:18
S94	47	(block NEAR cipher) WITH round WITH encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 08:43
S98	89	((divid\$4 WITH (encrypt\$4 WITH "sequence"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:11
S99	89	((divid\$4 or seperat\$4) WITH (encrypt\$4 WITH "sequence"))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:11
S100	15	(encrypt\$4 WITH "sequence") WITH ("plurality" OR "many" OR "several") WITH group	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:40
S101	4	S99 and S100	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 11:13
S102	1	encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:18
S103	3667	encryption with sequence	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:18
S104	989	(380/27 280/28 380/29).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:18

S105	66	S103 and S104	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:19
S106	61	S105 AND @ad<="20030108"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:19
S107	68	(encrypt\$4 WITH "sequence") WITH ("plurality" OR "many" OR "several") WITH (group or UNIT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:43
S108	9	S99 and (encrypt\$4 WITH "sequence") WITH ("plurality" OR "many" OR "several") WITH (group or UNIT)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:47
S109	1	S99 and (encrypt\$4 WITH "sequence") WITH (("dummy" OR "fake" OR "false") with data)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 09:50
S110	2	S99 and (encrypt\$4 WITH "sequence") WITH (("dummy" OR "fake" OR "false") with encryption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 10:00
S111	2	"20010046296"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 10:04
S112	74	"DES" WITH (dummy OR dummies) WITH data	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 10:18
S113	553	"DES" WITH (dummy OR dummies)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 10:18

S114	42	"DES" WITH (dummy OR dummies) with operation	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 10:29
S116	47	"DES" WITH ("dummy" OR dummies OR "fake" OR "faste") with (operation or calculation)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 10:25
S131	7677920	"DES" "block cipher"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 11:29
S132	6827	("DES" "block cipher") WITH round	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 11:29
S133	196	("DES" "block cipher") WITH round with function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 11:29
S134	42	("DES" "block cipher") WITH round with function with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 11:30
S135	2	"5168521".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/05 11:30
S136	2	"5168521".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:36
S137	1	10/885148	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 15:36

S138	0	("2005/0055596").URPN.	USPAT	OR	ON	2007/08/08 16:06
S139	606	dummy NEAR3 processing	USPAT	OR	ON	2007/08/08 16:06
S140	2	dummy NEAR3 processing with encryption	USPAT	OR	ON	2007/08/08 16:08
S141	119	encryption SAME dummy	USPAT	OR	ON	2007/08/08 16:08
S142	0	encryption SAME dummy with round	USPAT	OR	ON	2007/08/08 16:08
S143	0	encryption SAME dummy same round	USPAT	OR	ON	2007/08/08 16:09
S144	1042	block near cipher	USPAT	OR	ON	2007/08/08 16:09
S145	476	(block near cipher) with encryption	USPAT	OR	ON	2007/08/08 16:56
S148	704	round near function	USPAT	OR	ON	2007/08/08 16:10
S149	45	S145 and S148	USPAT	OR	ON	2007/08/08 16:11
S151	2	S145 and S148 and dummy	USPAT	OR	ON	2007/08/08 16:25
S152	0	"200502273631"	USPAT	OR	ON	2007/08/08 16:25
S153	0	"20050273631"	USPAT	OR	ON	2007/08/08 16:26
S154	0	"20050273631"	USPAT	OR	ON	2007/08/08 16:29
S155	1	"7194090".pn.	USPAT	OR	ON	2007/08/08 17:30
S156	1	"6061449 ".pn.	USPAT	OR	ON	2007/08/08 16:39
S157	0	"20060140401"	USPAT	OR	ON	2007/08/08 16:39
S158	0	"System and method for protecting computer software from a white box attack"	USPAT	OR	ON	2007/08/08 16:40
S159	0	"computer software from a white box attack"	USPAT	OR	ON	2007/08/08 16:40
S160	6	"white box attack"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 16:40
S161	11	(block near cipher) with encryption with round	USPAT	OR	ON	2007/08/08 17:16

S162	2	"20050213756"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 17:10
S163	2	"20030223580"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 17:10
S164	0	(block near cipher) with encryption with dummy	USPAT	OR	ON	2007/08/08 17:16
S165	1	(block near cipher) with encryption same dummy	USPAT	OR	ON	2007/08/08 17:17
S166	1	(block near cipher) same encryption same dummy	USPAT	OR	ON	2007/08/08 17:17
S167	8	(block near cipher) same encryption same dummy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 17:25
S168	9	(block near cipher) same encryption same (dummy or fake or false)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/08 17:45
S169	0	"7194090".pn. AND (dummy WITH "block cipher")	USPAT	OR	ON	2007/08/08 17:30
S170	1	"7194090".pn. AND (dummy)	USPAT	OR	ON	2007/08/08 17:45
S171	0	"7194090".pn. AND (dummy WITH round)	USPAT	OR	ON	2007/08/08 17:45
S172	9	(block near cipher) same dummy	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:23
S173	0	(S\$box near2 exryption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:23
S174	0	(S-box near2 exryption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:23

S175	53	(S-box near2 encryption)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:23
S176	4	(S-box near2 encryption) with cipher	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:27
S177	2	"6295606".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:28
S178	1	"20070140478"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:36
S179	0	iterative-block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:36
S180	5	iterative-block	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:39
S181	4265546	round near S174 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:39
S182	2291	round near2 function	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 08:32
S183	57	(round near2 function) near5 cipher	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 06:41

S184	0	("2004/0008841").URPNL	USPAT	OR	ON	2007/08/09 06:42
S185	96	(round near2 function) WITH cipher	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 08:33
S186	357	round WITH cipher	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 08:34
S187	110	round WITH cipher with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 08:40
S188	992	(380/27 280/28 380/29).ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 08:34
S189	11	S188 and S187	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 08:37
S191	2349	triple NEAR DES	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 09:32
S192	40	S188 AND S191	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 09:32
S193	1	"20040193898" AND random	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 10:00

S194	964494	"AES"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:20
S195	325	"AES" AND Rijndael	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:19
S196	8	S195 and S188	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:19
S197	964557	"AES" or "Advanced encryption Standard"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:20
S198	5893	("AES" or "Advanced encryption Standard") WITH mix\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:22
S199	21	("AES" or "Advanced encryption Standard") WITH mix\$4 with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:21
S200	9422	("AES" or "Advanced encryption Standard") WITH (mix\$4 OR compound\$4)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:23
S201	42	("AES" or "Advanced encryption Standard") WITH (mix\$4 OR compound\$4) same encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 11:32
S202	21	("AES" or "Advanced encryption Standard") WITH (mix\$4 OR compound\$4) WITH encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:11

S203	174	("AES" or "Advanced encryption Standard") WITH (mix\$4 OR compound\$4) WITH (encryption sequence column)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:12
S204	21	("AES" or "Advanced encryption Standard") WITH (mix\$4 OR compound\$4) WITH (encryption sequence column) with encryption	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:12
S205	2	"7236593".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 13:40
S206	0	("7236593").URPN.	USPAT	OR	ON	2007/08/09 13:44
S208	1	"6937727".pn. and mix\$	USPAT	OR	ON	2007/08/09 17:00
S209	0	"Encryption system resists differential power analysis attacks"	USPAT	OR	ON	2007/08/09 17:00
S210	1	"Encryption system resists differential power analysis attacks"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:11
S211	1	"6937727".pn.	USPAT	OR	ON	2007/08/09 17:10
S212	2	"6937727".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:10
S213	2	"20040047466"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:11
S214	2	"7194090".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:12

S215	2	"20020191784"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:12
S216	2	"20010053220"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:14
S217	3	"20020027987"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/09 17:20
S218	2	"6031911".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:50
S219	0	"6031911".pn. AND ("DES" with S\$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:51
S220	1	"6031911".pn. AND ("DES" with S\$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:51
S221	406	"7099470".pn. ("DES" WITH S \$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:57
S222	1	"7099470".pn. AND ("DES" WITH S\$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:57
S223	2	"20050063538"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:58

S224	0	"20050063538" AND ("DES" WITH S\$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:58
S225	1	"20050063538" AND ("DES" SAME S\$box)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/08/10 10:58

2/ 29/ 2008 9:07:00 PM

H:\cle2\Real-Case\10-749412-EncryptionApparatusProcessingMethod\10-749412EncryptionProcessingApparatusProcessingMethod.wsp